

# FILE COPY



Dear Laboratory Director

Attached below is your clinical laboratory certificate.  
Your certificate is void after the expiration date below.

Expiration Date: April 11, 2020

H. LEE MOFFITT CANCER CENTER & RESEARCH INSTITUTE HOSPITAL, INC.  
12902 USF MAGNOLIA DR  
TAMPA FL 33612-9416

**DISPLAY:**

State law requires that the clinical laboratory certificate shall be conspicuously posted in the clinical laboratory.

**CHANGE OF LABORATORY NAME, DIRECTOR, OWNER AND/OR ADDRESS:**

State law requires that the laboratory owner and/or the director notify this office within 30 days of any change in ownership, name, location, or laboratory directors. **YOUR CERTIFICATE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE.**

You must submit a completed application for a new clinical laboratory certificate within those 30 days or cease engaging in clinical laboratory practice. Mail written notification and/or application to the address indicated below.

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH  
Laboratory Field Services, Facility Licensing Section  
850 Marina Bay Parkway, Building P, 1st Floor  
Richmond, CA 94804-6403

Thank you for your cooperation.

Lab 143A Labclcp (01-17)

Tear Here

Tear Here

## State of California Department of Public Health CLINICAL LABORATORY CERTIFICATE OF DEEMED STATUS

In accordance with the provisions of Chapter 3, Division 2 of the Business and Professions Code, the persons named below are hereby issued a license authorizing operation of a clinical laboratory at the indicated address or other site(s) on file with the department.

**H. LEE MOFFITT CANCER CENTER & RESEARCH INSTITUTE HOSPITAL, INC.  
12902 MAGNOLIA DRIVE MCC-LAB  
TAMPA FL 33612**

**OWNER(S):**

H. LEE MOFFITT CANCER CENTER & RESEARCH INSTITUTE HOSP  
YVETTE M. TREMONIT, EXECUTIVE VP/CHIEF FINANCIAL OFFICE

**DIRECTOR(S):**

LYNN C. MOSCINSKI MD

**Lab ID Number:** CDS00800842  
**Effective Date:** April 13, 2019  
**Valid Until:** April 11, 2020  
**CLIA Number:** 10D0290540

  
Robert J. Thomas, Chief  
Laboratory Field Services